



2020 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the
Environment Act 1995
Local Air Quality Management

September 2020

| | |
|-------------------------|--|
| Local Authority Officer | Greg Minns |
| Department | Environmental Health |
| Address | Town Hall Bexhill on Sea East Sussex TN39 3JX |
| Telephone | 01424 787333 |
| E-mail | Greg.Minns@rother.gov.uk |
| Report Reference number | RDC 2020 ASR |
| Date | September 2020 |

Prepared by: 
 Ruiyi Liu
 Graduate Air Quality Scientist

Checked by: 
 Anna Savage
 Principal Air Quality consultant

Approved by: 
 Gareth Collins
 Regional Director

| Rev No | Comments | Checked by | Approved by | Date |
|--------|----------|------------|-------------|------------|
| 1 | Draft | AS | GC | 14/09/2020 |
| | | | | |
| | | | | |

Sunley House, 4 Bedford Park, Croydon, Surrey. CR0 2AP
 Telephone: 0208 639 3500 Website: <http://www.aecom.com>

Job No: 60508341

Reference: RDC 2020 ASR

Date Created July 2020

Executive Summary: Air Quality in Our Area

Air Quality in Rother

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children and older people, and those with heart and lung conditions. There is also often a strong correlation with equalities issues, because areas with poor air quality are also often the less affluent areas^{1,2}.

The annual health cost to society of the impacts of particulate matter alone in the UK is estimated to be around £16 billion³.

The District of Rother is the second-largest district in East Sussex, and one of the most rural districts in England. Road traffic is the dominant source of air pollution in the area, the major routes being the A21, the A28, the A265, the A258, the A27 and the A268. The main pollutants of concern with respect to road traffic are nitrogen dioxide (NO₂) and particulate matter (PM₁₀ and PM_{2.5}). Currently, there are no areas in Rother where members of the public are exposed to levels of these pollutants in excess of the UK Air Quality Objectives.

Rother District Council manages local air quality in close collaboration with East Sussex County Council, which provided part of the monitoring until 2014, and with the Sussex Air Quality Partnership (Sussex Air). The partnership provides assistance to members and information to the public via its website with recent air quality data, news updates, educational resources, links and other services such as airAlert.

In 2015, all monitoring locations in the District achieved the NO₂ objective, with concentrations lower than 40 µg/m³. In 2016 however, concentrations exceeded the objective at A2100 Beauport Park and High Street Flimwell diffusion tube sites, although concentrations in 2017, 2018 and 2019 returned to levels below the objective at these locations and all others.

¹ Environmental equity, air quality, socioeconomic status and respiratory health, 2010

² Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

³ Defra. Abatement cost guidance for valuing changes in air quality, May 2013

PM₁₀ is monitored in Rother at De La Warr Road, Bexhill, and in recent years concentrations have been generally low (well below the UK annual mean objective of 40 µg/m³), with no significant increasing or decreasing tendency, although there is some year-on-year variability. PM_{2.5} was derived from the PM₁₀ concentrations, and in recent years has not exceeded the UK annual mean objectives of 25 µg/m³.

As in other suburban and rural areas of East Sussex, ozone (O₃) is of considerable concern. Ozone is monitored at Rye Harbour, where high levels have been monitored since 2011.

A large area of the countryside in the District is within the High Weald Area of Outstanding Natural Beauty (AONB). The impact of traffic-related air pollution on some of these areas has been assessed in past years. Current and future traffic flows are not expected to put the Pevensey Levels Special Area of Conservation (SAC) at risk from excessive nitrogen deposition.

Actions to Improve Air Quality

Rother District Council is helping the public to avoid the worst effects of ozone pollution by monitoring ozone levels at Rye Harbour and informing the public of pollution events through the airAlert pollution warning service. This service is provided and maintained through the Sussex Air partnership.

Rother District Council, together with Sussex Air and other local authorities across Sussex and Kent, supports the Energise Network, an integrated network of electric charging points for vehicles. Charging points are now located across East and West Sussex, Kent, Surrey, Greater London and neighbouring counties.

Rother District Council contributes to the Air Quality and Emissions Mitigation Guidance for Sussex. The guidance supports the principles of the Sussex Air Quality Partnership to improve air quality across Sussex, encourage emissions reductions and improve the environment and health of the population. Other actions being implemented to improve public health include promoting active modes of transportation like walking, cycling and using public transport, as well as car clubs and car sharing.

Conclusions and Priorities

Annual mean NO₂ concentrations recorded at continuous monitors and diffusion tubes in Rother District are within the air quality annual mean objective of 40 µg/m³, and there were no exceedances of the short term hourly objective.

There were also no exceedances of either the annual mean or daily mean PM₁₀ objectives in 2019, or for the previous years from 2015.

Rother District is committed to taking action to improve air quality, in particular through involvement with the Sussex Air Quality Partnership. The two main achievements in 2019 were: constructive discussions with Planning Policy to ensure that air quality mitigation requirements become integrated as policy into the future Local Plan and, an increased-use of Air Quality Guidance produced by Sussex Air to apply conditions to major planning applications. These measures have ensured that air quality mitigation cost calculations have been undertaken and measures to improve air quality are starting to get integrated into major developments. Other priority measures and actions for the District include the roll-out and expansion of electric charging points via the Energise Network, collaboration between departments on health improvement, climate change, environment and transport, and maintaining and updating the website, airAlert scheme and monitoring network.

The main challenge in maintaining the generally good levels of air quality across the District is likely to be the careful management of planning applications and developments. Detailed and rigorous air quality assessments and mitigation cost calculations will continue to be needed, especially where multiple developments may occur close together.

There is also a risk that post Covid-19 and Brexit, there will be a lack of funds for LAs and other public bodies occurring at the same time as there is a need to grow and recover the economy. Under such a scenario there may be temptations to increase the use of fossil fuels and in the short term, reduce the importance of improving air quality by Council Members.

However, this is by no means certain because equally, there's now an ideal opportunity, due to the restrictions caused by Covid-19, to ensure that some of the new ways of working that the Council and other organisations have embraced and which also help to improve local air quality, continue. The current situation provides

an opportunity to integrate and enact policies to help improve the local air quality, health and wellbeing for all of the residents of Rother District Council. Such policies would also dovetail with the Council's draft Environment Strategy.

There are three main priorities for addressing air quality in 2020 and beyond. These are to ensure that air quality mitigation requirements become policy in the new Local Plan, to continue work with Sussex Air and other Local Authorities and consult on the Draft Environment Strategy and Action Plan 2020-2030 to ensure air quality mitigation is adequately addressed.

Local Engagement and How to get Involved

Everyone concerned about air quality in Rother and the rest of Sussex can find real-time information on pollution levels on the Sussex Air website sussex-air.net. People are encouraged to sign up for advance warnings with the airAlert service at airalert.info. Warnings are provided by text or voice message, email, or using an Android or iOS app. The service is also available to schools and is a great way to get everyone engaged in thinking about the importance of air quality.

Drivers planning to replace their vehicles are encouraged to consider low and ultra-low emission vehicles, such as electric cars, plug-in hybrids and extended-range electric vehicles. The Energise Network provides members with access to more than 150 electric vehicle charging points across the South East. These include most local authority charge points in Kent, Surrey and Sussex, plus a number of Southern Rail fast chargers. For more details, please visit <https://www.zap-map.com/charge-points/public-charging-point-networks/energise-network/>. The reduction in using cars to travel to work, continued home working and increasing walking and cycling post Covid-19 are encouraged.

Table of Contents

| | |
|---|-----------|
| Executive Summary: Air Quality in Our Area | i |
| Air Quality in Rother | i |
| Actions to Improve Air Quality | ii |
| Conclusions and Priorities | iii |
| Local Engagement and How to get Involved | iv |
| 1 Local Air Quality Management | 6 |
| 2 Actions to Improve Air Quality | 7 |
| 2.1 Air Quality Management Areas | 7 |
| 2.2 Progress and Impact of Measures to address Air Quality in Rother District | 7 |
| 2.3 PM _{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations | 18 |
| 3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance | 20 |
| 3.1 Summary of Monitoring Undertaken | 20 |
| 3.1.1 Automatic Monitoring Sites | 20 |
| 3.1.2 Non-Automatic Monitoring Sites | 20 |
| 3.2 Individual Pollutants | 21 |
| 3.2.1 Nitrogen Dioxide (NO ₂) | 21 |
| 3.2.2 Particulate Matter (PM ₁₀) | 22 |
| 3.2.3 Particulate Matter (PM _{2.5}) | 22 |
| 3.2.4 Sulphur Dioxide (SO ₂) | 23 |
| 3.2.5 Ozone (O ₃) | 23 |
| Appendix A: Monitoring Results | 24 |
| Appendix B: Full Monthly Diffusion Tube Results for 2019 | 38 |
| Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC | 40 |
| Appendix D: Map(s) of Monitoring Locations and AQMAs | 45 |
| Appendix E: Summary of Air Quality Objectives in England | 48 |
| Glossary of Terms | 49 |
| References | 50 |

1 Local Air Quality Management

This report provides an overview of air quality in Rother District during 2019. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by Rother District Council to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England can be found in Table E.1 in Appendix E.

2 Actions to Improve Air Quality

2.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority must prepare an Air Quality Action Plan (AQAP) within 12-18 months setting out measures it intends to put in place in pursuit of compliance with the objectives.

Rother District currently does not have any AQMAs, because previous monitoring and modelling studies have not indicated any likelihood of the UK air quality objectives being exceeded.

Since Rother District has no AQMAs, no formal Air Quality Action Plan has been implemented for the District.

2.2 Progress and Impact of Measures to address Air Quality in Rother District

Defra's appraisal of last year's ASR⁴ concluded that the report was well structured and provided the required information as specified in the guidance, with acceptable conclusions reached with the following comments;

1. *All monitoring completed within 2018 has been presented within the ASR, this also includes an estimation of PM_{2.5} concentrations at the RY2 monitoring location following TG(16) guidance. It is recommended that Table A.7 and Figure A.4 are presented as estimated concentrations of PM_{2.5} to avoid any confusion for the reader.*
2. *Distance correction has been completed at every diffusion tube location, including those where relevant exposure is 20m further from the kerb than the monitoring location. Distance correction should only be completed at monitoring sites that have an annual mean NO₂ concentration greater than 36ug/m³ and the relevant exposure is within 20m of the monitoring location.*
3. *The same measures specific to PM_{2.5} have been included with the 2019 ASR as were within the 2018 ASR. It is stated that further measures will be considered in future years, therefore it is expected that details of these measures and a more detailed discussion of PM_{2.5} issues, alongside drawing links to the Public Health Outcomes Framework, will be included within the 2020 ASR.*

⁴ 2018 Rother District Annual Status Report (ASR), available at: <http://www.rother.gov.uk/article/193/Air-Quality>

4. *The maps provided within the ASR are clear, with all monitoring sites labelled as referenced in the results tables.*
5. *There are a number of kerbside diffusion tube monitoring sites that have recorded continually low concentrations. These sites could potentially be relocated to identify new hotspots or evaluate the impact from major developments.*
6. *Generally the report is very good, provides a great deal of information and acts as a good first point of reference for members of the Public. The Council should continue their hard work in developing partnerships and improving local air quality.*

There were no exceedances of either the annual mean NO₂ objectives in 2018. Therefore, there are no new identified diffusion tube locations in 2019.

Rother District Council has taken forward a number of direct measures during the current reporting year of 2019 in pursuit of improving local air quality. Details of all measures completed, in progress or planned are set out in Table 2.1.

Rother District Council is a member of the Sussex Air Quality Partnership (Sussex Air), which produced an air quality strategic plan 2010 to 2015⁵. Rother District Council contributed to the development of this strategy, which aims to provide a consistent approach to air quality across a number of district councils.

This plan has 5 key objectives:

1. Provide advice and support and improve the expertise and knowledge base
2. Project development and implementation
3. Partnership working
4. Develop cross cutting work on health improvement, climate change, environment and transport
5. Communicate air quality issues and initiatives in Sussex.

Key completed measures are:

⁵ Sussex Air Quality Partnership Air Quality Strategic Plan 2010 http://www.sussex-air.net/Reports/SAQP_Vision_Strategy_2015.pdf

1. Website

Rother District Council supports the Sussex Air Quality website (<http://www.sussex-air.net>), which provides access to air quality statistics and relevant local information and improves public awareness of air quality.

2. airAlert

Rother District Council supports the airAlert air pollution warning service, offered by the Sussex Air Quality Partnership to vulnerable people, schools, health professionals and general public in Sussex. The airAlert service provides warnings based on ozone levels monitored within the Rother District at Rye Harbour.

3. Local ozone monitoring

High ozone levels can cause difficulty in breathing for vulnerable people with existing breathing or heart conditions. Rother District Council works with Sussex Air to monitor ozone levels at the Rye Harbour rural monitoring station. Data from this station is available on the Sussex-Air website and feeds into the airAlert service.

4. Guidance

Rother District Council contributed to the Air Quality and Emissions Mitigation Guidance for Sussex, first published in 2013 and updated in 2014 and 2019. The guidance is helping to mitigate potential air quality impacts from developments across Sussex. It is also contributing to improving public health by promoting active modes of transportation like walking, cycling and using public transport, as well as car clubs and car sharing.

5. Energise Network.

Energise was established as a public/private sector partnership by local authorities across Sussex, Surrey and Kent and was led by the Sussex Air Partnership, to help support the promotion of electric vehicle uptake in the region, by making access simpler. Electric car charging points are now located across East and West Sussex, Kent, Surrey, Greater London and neighbouring counties.

6. Garden Bonfires

Rother District Council, in partnership with Wealden District Council, published in 2013 public-facing material discouraging the practice of burning garden waste, and encouraging sustainable alternatives such as composting and recycling.

Together with neighbouring local authorities, Rother District Council has been assessing the air quality impacts of new traffic and development on protected natural habitats and designated sites in the District, in particular the Pevensey Levels (Special Area of Conservation (SAC) and Ramsar site), the Dungeness SAC and the Dungeness to Pett Level Special Protection Area (SPA).

Key completed measures regarding protected habitats are:

1. Pevensey Levels Assessment

Rother District Council commissioned in 2009 a study⁶ to assess the potential air quality impact on the Pevensey Levels of increases in traffic on the A259 associated with planned population growth up to 2026. The conclusion was that an increase in nitrogen deposition and NOx concentrations is likely, but these will still be below the Critical Levels set by the Habitats Directive⁷, therefore there is unlikely to be a significant effect on the Ramsar site.

2. Dungeness Sites Protection

Rother District Council currently screens all business development applications in the Port of Rye for their potential to have adverse effects on the integrity of the Dungeness internationally-designated sites. The main focus is on traffic and shipping emissions, and where necessary, makes recommendations for mitigation measures to be implemented⁸.

Rother District Council is a programme partner for East Sussex County Council's 'Active Access for Growth' programme to deliver cycling and walking initiatives in key areas which includes South Wealden and Bexhill/Hastings.

⁶ Rother District Council, Hastings Borough Council, Wealden District Council and Eastbourne Borough Council (2009). Appropriate Assessment and Air Quality Local to the Pevensey Levels Ramsar Site. Available at: <http://www.wealden.gov.uk/nmsruntime/saveasdialog.aspx?IID=14305&slID=5509>

⁷ EC Habitats Directive 1992, interpreted into British law by the Conservation (Natural Habitats &c) Regulations 1994 (as amended in 2007).

⁸ Rother District Council (2014). Local Plan – Core Strategy. Adopted 29th September 2014.

One of the 3 key objectives of the programme is ‘to demonstrate an alignment to health, air quality, and reduce vehicle emissions’ via the following initiatives in 2019:

- Pedal Power - Cycle/Electric Cycle Loan Scheme (including associated research by Brighton University on type and duration of journeys/energy expenditure)
- Living Streets ‘Walk Doctors’ – Journey planning
- Living Streets – Active Travel Maps
- Walking & Cycling – Challenges & Pledges
- East Sussex Wheels 2 Work – Moped/Motorcycle Loan
- Independent Travel Training – Integrated Travel
- Discounted public transport travel
- Walking & Cycling Leader Training
- East Sussex Cycle Hubs – Bikeability Plus Services
- Transition travel activities - secondary
- Use of sustainable travel apps & other technology
- Student led Walking & Cycling Campaigns
- Walking & cycling challenges – ‘Free your Feet’
- Sustrans - Active steps scheme
- Living Streets - Community Audit Scheme: to identify safer walking & cycling routes
- East Sussex County Council - Community Grant Scheme – Active Access – supporting local walking and cycling initiatives (such as cycle refurbishment)
- Community walking & cycling challenges
- South Downs National Park - Led Walks/Rides

Rother District Council expects the following updates over the course of the next reporting year:

- Regulation 123 of the Community Infrastructure Levy (CIL) Regulations (as amended) requires charging authorities to set out a list of those projects or types of infrastructure that it intends to fund either wholly or partially through the CIL levy. Rother's preferred CIL spending relevant to Air Quality is as follows⁹:

Rail:

- Access improvements to stations which may include additional car parking, cycle and
- pedestrian access and facilities based on findings of East Sussex County Council (ESCC) Station Audit and plans of train
- Operating companies
- Bus, Cycling and Walking Infrastructure
- Bus stop accessibility
- Bus shelters
- Passenger information and electronic ticketing
- Speed management measures
- Passenger and public security and safety

Bus, Cycling and Walking Infrastructure:

- Bus stop accessibility
- Bus shelters
- Passenger information and electronic ticketing
- Speed management measures
- Passenger and public security and safety
- Bus reliability measures
- Passenger access and information
- Improvements to railway stations
- Cycle network improvements

⁹ <http://www.rother.gov.uk/CHttpHandler.ashx?id=25125&p=0>

- Public realm improvements
- Safety infrastructure outside schools
- Rights of way improvements
- Improvements to walking and cycling infrastructure to ensure connectivity and accessibility of new development into existing networks, communities, town and secondary centres, employment & social infrastructure in accordance with Rother's Cycling and Walking Strategy.
- Management of cross town traffic congestion in Battle. Improved traffic management. Implement measures to increase use of sustainable transport in accord with LTP3.
- Introduce measures to tackle heavy congestion in Rye town centre during the summer. Increase sustainable transport provision in the town in accord with LTP3.

Rother Local Plan Policy relevant to Air Quality is as follows:

All development in Rother is expected to contribute towards promoting sustainable transport. Criteria applicable to all development, set out at Policy GD1, include making proper provision for walking, cycling and public transport. Policy TR3 establishes the framework for car parking provision. Policy DS1 supports more sustainable travel patterns by focusing new development in accessible locations. Policies for individual sites (e.g. BX3) contain site specific requirements. Policy HG4 deals with accessibility within residential developments. Freight is dealt with in the Structure Plan where Policy TR29 contains a general provision encouraging the use of rail, sea and pipelines as an alternative to road transport, safeguarding rail sites and facilities and resisting proposals generating significant road freight where this would give rise to problems or where there is scope for non-road based alternatives.

Policy TR2: All development shall, wherever reasonably practicable, be carried out in a location and manner which will promote more sustainable travel choice. Applications for planning permission may be required to demonstrate how the proposed development will promote sustainable travel choice. Improvements in the availability, quality and efficiency of sustainable transport opportunities including quality bus

routes, cycle networks, priority for pedestrians and related facilities will be sought, including through supplementary guidance and in the determination of planning applications. In particular, development proposals will only be permitted where they provide, or contribute to, the new or improved transport facilities and services (including improved links to bus, cycle and footpath networks that connect to local services such as shopping centres and schools) that are necessary to make the development acceptable in sustainable transport terms, and do not result in the loss of sustainable transport facilities. Where the provision of infrastructure, facilities or improved services are required, the provision will be secured by planning condition or legal agreement in respect of funding contributions, off-site works or phasing.

Table 2.1 – Progress on Measures to Improve Air Quality

| Measure No. | Measure | EU Category | EU Classification | Organisations involved and Funding Source | Planning Phase | Implementation Phase | Key Performance Indicator | Reduction in Pollutant / Emission from Measure | Progress to Date | Estimated / Actual Completion Date | Comments / Barriers to implementation |
|-------------|--|---|--|---|----------------|----------------------|---|--|------------------|------------------------------------|---------------------------------------|
| 1 | Air Quality and Emissions Mitigation Guidance for Sussex | Policy Guidance and Development Control | Air Quality Planning and Policy Guidance | Sussex Air Quality Partnership | | 2014 | N/A | N/A | | Completed | |
| 2 | Air Quality Strategic Plan 2010 | Policy Guidance and Development Control | Regional Groups Co-ordinating programmes to develop Area wide Strategies to reduce emissions and improve air quality | Sussex Air Quality Partnership | | 2010 - 2015 | N/A | N/A | | Ongoing | |
| 3 | Sussex Air website | Public Information | Via the Internet | Sussex Air Quality Partnership | | | N/A | N/A | | Ongoing | |
| 4 | airAlert | Public Information | Via other mechanisms | Sussex Air Quality Partnership | | | 989 registered subscribers, 39 from Rother District | N/A | | Ongoing | |

Rother District Council

| Measure No. | Measure | EU Category | EU Classification | Organisations involved and Funding Source | Planning Phase | Implementation Phase | Key Performance Indicator | Reduction in Pollutant / Emission from Measure | Progress to Date | Estimated / Actual Completion Date | Comments / Barriers to implementation |
|-------------|--|---------------------------------------|--|---|----------------|----------------------|---------------------------|--|------------------|------------------------------------|---------------------------------------|
| 5 | Energise Network | Promoting Low Emission Transport | Procuring alternative refuelling infrastructure to promote Low Emission Vehicles, EV recharging, Gas fuel recharging | Sussex Air Quality Partnership | | | N/A | N/A | | Ongoing | |
| 6 | Garden Bonfires | Public Information | Via leaflets | Rother District Council | | 2013 | N/A | N/A | | Completed | |
| 7 | Council Policy for Homeworking | Promoting Travel Alternatives | Encourage / Facilitate home-working | Rother District Council | | | N/A | N/A | | Ongoing | |
| 8 | Active Rother | Promoting Travel Alternatives | Promotion of Cycling | Rother District Council | | 2016 | N/A | N/A | | Ongoing | |
| 9 | CIL Spending | Transport Planning and Infrastructure | Bus Route Improvements | Rother District Council | | | N/A | N/A | | Ongoing | |
| 10 | Hastings and Bexhill 5km coastal cycle route | Transport Planning and Infrastructure | Cycle Network | Rother District Council | | 2018 | N/A | N/A | | Ongoing | |
| 11 | CIL Spending | Transport Planning and Infrastructure | Public Transport Improvements - Interchanges, stations and services | Rother District Council | | | N/A | N/A | | Ongoing | |

Rother District Council

| Measure No. | Measure | EU Category | EU Classification | Organisations involved and Funding Source | Planning Phase | Implementation Phase | Key Performance Indicator | Reduction in Pollutant / Emission from Measure | Progress to Date | Estimated / Actual Completion Date | Comments / Barriers to implementation |
|-------------|--|---|--|---|----------------|----------------------|---------------------------|--|------------------|------------------------------------|---------------------------------------|
| 12 | Rother's Cycling and Walking Strategy | Promoting Travel Alternatives | Promotion of Walking | Rother District Council | | | N/A | N/A | | Ongoing | |
| 13 | Ensuring air quality mitigation is policy in the new local plan | Policy Guidance and Development Control | Air Quality Planning and Policy Guidance | Rother District Council | | | N/A | N/A | | Ongoing | |
| 14 | Use of Sussex Air Guidance and incorporation of planning conditions on major plans | Policy Guidance and Development Control | Other policy | Rother District Council | | | N/A | N/A | | Ongoing | |
| 15 | Support and involvement with Sussex Air and its initiatives | Policy Guidance and Development Control | Regional Groups Co-ordinating programmes to develop Area wide Strategies to reduce emissions and improve air quality | Rother District Council | | | N/A | N/A | | Ongoing | |

2.3 PM_{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of PM_{2.5} (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that PM_{2.5} has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

The new PM_{2.5} role has been states from the LAQM.TG(16):

“Local authorities in England have a new flexible role in working towards reducing emissions and concentrations of PM_{2.5}, which is a very important area of focus due to the well-documented health impacts. The PM_{2.5} role has not been defined in detail so as to allow each local authority the flexibility to set its own approach in contributing towards PM_{2.5} reductions. Local authorities should define in the ASR how they are working towards reducing levels of PM_{2.5}, with a clear explanation as to the reasoning.”;

In the LAQM.PG(16), it states:

“There is no regulatory standard applied to the PM_{2.5} role (for local authorities in England) with respect to action to reduce emissions or concentrations of fine particulate air pollution, although action to tackle PM₁₀/NO_x would usually contribute to this. The EU Ambient Air Quality Directive does however set out air quality standards for PM_{2.5} including an exposure reduction obligation, a target value and a limit value, which may act as a guide in how you choose to interpret your role. Examples include but are not limited to:

- *Identifying measures already in place that can help with reducing levels of PM_{2.5} (examples of these type of measures are included in Table 2.1 of LAQM.TG16);*
- *Identifying new priority measures to tackle PM_{2.5} (these should be discussed with the Director of Public Health and other relevant partners in the steering group);*
- *Seeking to move towards a specific objective in line with the annual average EU limit value for PM_{2.5}: 25 µg/m³ to be met by 2020 (most authorities already*

meet this target hence the authority may wish to set a lower target concentration to benefit public health); and

- *Seeking to move towards applying a specific objective in line with the EU target value of 15% reduction at background urban locations between 2010 and 2020 (authorities may choose a different % reduction if evidence shows it to be more practical and cost-effective)."*

Rother District Council is taking the following measures to address PM_{2.5}:

- Continuing to support the Energise Network of electric vehicle charging points, together with the Sussex Air Quality Partnership;
- Requiring the assessment of PM_{2.5} as part of Air Quality Assessments for planning applications to inform emission mitigation strategies and dust management plans during the development phase.
- Publishing information discouraging the burning of garden waste and encouraging sustainable alternatives such as composting and recycling.

Although there are no new specific measures targeting PM_{2.5}, it is expected that the combination of actions and that are currently in force or coming into force will help to bring about a reduction in PM_{2.5}. However, discussions are being held with Public Health and other Local Authorities as part of Sussex Air to devise policies that will specifically target PM_{2.5} reduction and further measures will be reported on in future annual status reports. In addition, actions within the new draft Environment Strategy and Action Plan that will target PM_{2.5}, including working towards car free areas, encouraging walking and cycling friendly developments within the Planning Policy and increasing the use of electric vehicles in the district (e.g. by requiring charging points in all new developments and incentivising or requiring take-up by contractors and taxi drivers).

3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

3.1 Summary of Monitoring Undertaken

This section sets out what monitoring has taken place and how it compares with objectives. For reference, maps of Rother District's monitoring locations are provided in Appendix D.

3.1.1 Automatic Monitoring Sites

Rother District undertook automatic (continuous) monitoring at 2 sites during 2019: De La Warr Road, Bexhill (RY2, monitoring NO₂ and PM₁₀) and Rye Harbour (RY1, monitoring ozone (O₃)). Fine particulate matter (PM_{2.5}) is currently not monitored in the District. Table A.1 in Appendix A shows the details of the automatic monitoring sites.

Both stations are part of the Sussex Air Quality Monitoring Network (SAQMN), managed on behalf of Sussex Air by King's College London Environmental Research Group (KCL-ERG). Regional monitoring results are available at www.sussex-air.net.

Data capture for 2019 was good, as outlined below:

- De La Warr Road, Bexhill: 97.9% for NO₂, 97.4% for PM₁₀; and
- Rye Harbour: 95.6% for O₃.

Further details on how the monitors are calibrated and how the data has been adjusted or annualised are included in Appendix C.

3.1.2 Non-Automatic Monitoring Sites

Rother District Council undertook non-automatic (passive) monitoring of NO₂ at 20 sites during 2019. Triplicate diffusion tubes are co-located with the De La Warr Road automatic monitoring station for the derivation of a local bias adjustment factor.

Due to repeated tube theft at Rye Cinque Ports Street (DT19), monitoring was ceased at this site at the end of 2016. This site was later reinstated in a slightly different location along Cinque Ports Street in May 2017, where data capture has significantly improved to 92% in 2018. The diffusion tube at Rye South Undercliff (DT21) was relocated in September 2016 to another location (A259 Bowling Green, Rye; DT30) due to a temporary issue with accessing the site. The Rye South

Undercliff (DT21) diffusion tube site was reinstated at the original location in March 2017 after issues with access to the site had been resolved, and monitoring continued at the new DT30 site. Diffusion tube site (DT31) was commissioned in March 2017 at 128 Barnhorn Road, Bexhill. There have been no changes to the network since then.

Table A.2 in Appendix A shows the details of the sites. Maps showing the location of the monitoring sites are provided in Appendix D. Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments applied (e.g. “annualisation” and/or distance correction), are included in Appendix C.

3.2 Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, “annualisation” and distance correction. Further details on adjustments are provided in Appendix C.

3.2.1 Nitrogen Dioxide (NO₂)

Table A.3 in Appendix A compares the ratified and adjusted monitored NO₂ annual mean concentrations for the past 5 years with the air quality objective of 40µg/m³.

For diffusion tubes, the full 2019 dataset of monthly mean values is provided in Appendix B.

The results indicate that the annual mean NO₂ concentrations at the De La Warr Road, Bexhill automatic monitoring site were well within the UK air quality objective (40 µg/m³) in all years between 2015 and 2019.

All diffusion tube sites achieved the air quality objective in 2019, with the highest concentration of 34.0 µg/m³ monitored at D12 (High St Flimwell). There were exceedances of the objective in 2016 at DT3 (Beauport Park) and DT12 (High St Flimwell), however it should be noted that these exceedances are based on the monitored concentrations at the diffusion tube site; when distance-corrected for relevant exposure, annual mean NO₂ concentrations in all years from 2015 to 2019 are well within the objective. Data capture for all tubes were equal or greater than 75% therefore no annualisation was needed in 2019. Appendix B provides details of distance-corrected annual mean NO₂ concentrations in 2019.

Table A.4 in Appendix A compares the continuous monitored NO₂ hourly mean concentrations for the past 5 years with the air quality objective of 200µg/m³, not to be exceeded more than 18 times per year.

The De La Warr Road, Bexhill automatic monitoring site did not exceed the 200 µg/m³ standard in any year in the 2015 to 2019 period.

Diffusion tubes cannot provide hourly measurements of NO₂; however, the Defra Technical Guidance states that where annual mean NO₂ concentrations measured by diffusion tubes exceed 60 µg/m³ there is a likelihood that the 1-hour objective may be exceeded. All of the annual mean NO₂ concentrations at diffusion tube monitoring locations between 2015 and 2019 inclusive, were well below 60 µg/m³ and so the 1-hour objective is very unlikely to have been exceeded. The results indicate that the 1-hour NO₂ air quality objective is unlikely to be exceeded at any location in the district.

3.2.2 Particulate Matter (PM₁₀)

PM₁₀ concentrations are monitored at the De La Warr Road, Bexhill. Table A.5 in Appendix A compares the ratified and adjusted monitored PM₁₀ annual mean concentrations for the past 5 years with the air quality objective of 40µg/m³. The results indicate that annual mean PM₁₀ concentrations were well below the UK air quality objective between 2015 and 2019.

Table A.6 in Appendix A compares the ratified continuous monitored PM₁₀ daily mean concentrations for the past 5 years with the air quality objective of 50µg/m³, not to be exceeded more than 35 times per year. These results show that the De La Warr Road site achieved the daily PM₁₀ objective every year from 2015 and 2019.

3.2.3 Particulate Matter (PM_{2.5})

There is no PM_{2.5} monitoring undertaken within Rother District. The annual mean PM₁₀ concentrations measured at the De La Warr Road site have been used to estimate PM_{2.5} annual average concentrations by using the nationally derived correction ratio of 0.7 suggested in Defra's Technical Guidance. Based on this assumption, the estimated annual mean PM_{2.5} concentrations during the 2015 and 2019 period were in the range of 13µg/m³ to 17µg/m³ (see Table A.7 in Appendix A).

3.2.4 Sulphur Dioxide (SO₂)

Monitoring of sulphur dioxide is not carried out at any location within the district. Therefore, no results are presented in this section.

3.2.5 Ozone (O₃)

Table A.8 in Appendix A presents the ratified continuous monitored O₃ concentrations for the past 5 years at the Rye Harbour rural site. Due to low data capture during 2015 there are no results presented for that year. Between 2016 and 2019, the annual mean O₃ concentrations ranged from 54 µg/m³ to 57 µg/m³. There is no annual mean objective or target value for O₃.

Table A.9 in Appendix A compares the ratified continuous monitored running 8-hour mean O₃ concentrations for the past 5 years with the UK Air Quality Objective of 100 µg/m³, not to be exceeded on more than 10 days per year. The monitoring results show that the Rye Harbour monitoring site exceeded the O₃ running 8-hour mean objective in 2016, 2017, 2018 and 2019. The highest number of days above the standard was in 2019, with 28 days.

Appendix A: Monitoring Results

Table A.1 – Details of Automatic Monitoring Sites

| Site ID | Site Name | Site Type | X OS Grid Ref | Y OS Grid Ref | Pollutants Monitored | In AQMA? | Monitoring Technique | Distance to Relevant Exposure (m) ⁽¹⁾ | Distance to kerb of nearest road (m) ⁽²⁾ | Inlet Height (m) |
|---------|-----------------|-----------|---------------|---------------|----------------------|----------|--------------------------|--|---|------------------|
| RY1 | Rye Harbour | Rural | 594440 | 119150 | O3 | N | UV Absorption | N/A | N/A | 3.5 |
| RY2 | De La Warr Road | Kerbside | 575595 | 108054 | NO2, PM10 | N | Chemi-luminescence, TEOM | N (2m) | 1m | 2.02 |

Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable.

Table A.2 – Details of Non-Automatic Monitoring Sites

| Site ID | Site Name | Site Type | X OS Grid Ref | Y OS Grid Ref | Pollutants Monitored | In AQMA? | Distance to Relevant Exposure (m) ⁽¹⁾ | Distance to kerb of nearest road (m) ⁽²⁾ | Tube collocated with a Continuous Analyser? | Height (m) |
|---------|-------------------------------|------------------|---------------|---------------|----------------------|----------|--|---|---|------------|
| DT2 | North of Northam | Kerbside | 583515 | 126517 | NO ₂ | N | 10 | 1 | NO | 1.87 |
| DT3 | A2100 Beauport Park | Kerbside | 578727 | 113439 | NO ₂ | N | >150 | 1 | NO | 1.83 |
| DT4 | A269 Battle Hospital | Kerbside | 573071 | 115896 | NO ₂ | N | 40 | 1 | NO | 2.10 |
| DT5 | B2089 West of Rye | Kerbside | 591196 | 120213 | NO ₂ | N | 50 | 1 | NO | 2.20 |
| DT7 | Holliers Hill, Bexhill | Kerbside | 574296 | 108917 | NO ₂ | N | 10 | 1 | NO | 2.38 |
| DT8 | A259 New Winchelsea Road, Rye | Kerbside | 591652 | 119148 | NO ₂ | N | 10 | 1 | NO | 1.80 |
| DT9 | A21 Robertsbridge | Kerbside | 574057 | 124328 | NO ₂ | N | 40 | 1 | NO | 1.77 |
| DT10 | Catsfield Church | Kerbside | 572742 | 113521 | NO ₂ | N | 15 | 1 | NO | 2.06 |
| DT12 | High St Flimwell | Kerbside | 571431 | 131224 | NO ₂ | N | 5 | 1 | NO | 1.97 |
| DT13 | Battle Wellington Gardens | Urban Background | 574357 | 116222 | NO ₂ | N | 30 | N/A | NO | 2.12 |
| DT14 | Battle A2100 | Kerbside | 574509 | 116846 | NO ₂ | N | 10 | 1 | NO | 2.17 |
| DT16 | Battle High Street | Kerbside | 574775 | 115925 | NO ₂ | N | 0 | 1 | NO | 2.37 |
| DT17 | Rye North Salts | Urban Background | 592339 | 120975 | NO ₂ | N | 15 | 1 | NO | 2.14 |

| Site ID | Site Name | Site Type | X OS Grid Ref | Y OS Grid Ref | Pollutants Monitored | In AQMA? | Distance to Relevant Exposure (m) ⁽¹⁾ | Distance to kerb of nearest road (m) ⁽²⁾ | Tube collocated with a Continuous Analyser? | Height (m) |
|---------|-------------------------------|------------------|---------------|---------------|----------------------|----------|--|---|---|------------|
| DT19 | Rye Cinque Ports Street | Urban Background | 592121 | 120543 | NO ₂ | N | 8 | N/A | NO | 2.10 |
| DT21 | Rye South Undercliff | Kerbside | 592011 | 120148 | NO ₂ | N | 2 | 1 | NO | 2.27 |
| DT22 | Bexhill-on-Sea Sackville Road | Kerbside | 573985 | 107409 | NO ₂ | N | 2 | 1 | NO | 2.06 |
| DT25 | A259 Bexhill-on-Sea | Kerbside | 573871 | 108033 | NO ₂ | N | 20 | 1 | NO | 2.06 |
| DT27 | Bexhill Triplicate 1 | Kerbside | 575595 | 108060 | NO ₂ | N | 15 | 1 | YES | 2.04 |
| DT28 | Bexhill Triplicate 2 | Kerbside | 575595 | 108060 | NO ₂ | N | 15 | 1 | YES | 2.04 |
| DT29 | Bexhill Triplicate 3 | Kerbside | 575595 | 108060 | NO ₂ | N | 15 | 1 | YES | 2.04 |
| DT30 | A259 Bowling Green, Rye | Kerbside | 592248 | 120525 | NO ₂ | N | 0 | 1 | NO | 2.00 |
| DT31 | 128 Barnhorn Road, Bexhill | Kerbside | 570366 | 107817 | NO ₂ | N | 10 | 1 | NO | 2.00 |

Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on/adjacent to the façade of a residential property).

(2) N/A if not applicable.

Table A.3 – Annual Mean NO₂ Monitoring Results

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Monitoring Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | NO ₂ Annual Mean Concentration (µg/m ³) ⁽³⁾ | | | | |
|---------|-------------------------|--------------------------|------------------|-----------------|---|--|---|-------------|------|------|------|
| | | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| RY2 | 575595 | 108054 | Kerbside | Automatic | 98 | 98 | 19.8 | 25.2 | 21.8 | 20.1 | 20.5 |
| DT2 | 583515 | 126517 | Kerbside | Diffusion Tube | 100 | 100 | 18.4 | 23.5 | 19.5 | 18.7 | 15.9 |
| DT3 | 578727 | 113439 | Kerbside | Diffusion Tube | 100 | 100 | 35.5 | 51.4 | 39.1 | 34.5 | 32.0 |
| DT4 | 573071 | 115896 | Kerbside | Diffusion Tube | 100 | 100 | 24.8 | 26.9 | 21.4 | 19.2 | 18.1 |
| DT5 | 591196 | 120213 | Kerbside | Diffusion Tube | 75 | 82 | 19.7 | 27.1 | 26.7 | 28.7 | 19.1 |
| DT7 | 574296 | 108917 | Kerbside | Diffusion Tube | 92 | 91 | 16.3 | 24.6 | 21.2 | 21.6 | 18.8 |
| DT8 | 591652 | 119148 | Kerbside | Diffusion Tube | 83 | 91 | - | 25.9 | 20.8 | 21.4 | 18.8 |
| DT9 | 574057 | 124328 | Kerbside | Diffusion Tube | 100 | 100 | 22.1 | 30.6 | 25.8 | 27.9 | 25.6 |
| DT10 | 572742 | 113521 | Kerbside | Diffusion Tube | 100 | 100 | 12.7 | 16.0 | 13.9 | 13.2 | 12.5 |
| DT12 | 571431 | 131224 | Kerbside | Diffusion Tube | 100 | 100 | 29.0 | 43.1 | 32.3 | 36.6 | 34.0 |
| DT13 | 574357 | 116222 | Urban Background | Diffusion Tube | 100 | 100 | 13.1 | 14.5 | 12.9 | 12.1 | 11.3 |
| DT14 | 574509 | 116846 | Kerbside | Diffusion Tube | 100 | 100 | 29.6 | 37.0 | 29.6 | 28.6 | 27.4 |
| DT16 | 574775 | 115925 | Kerbside | Diffusion Tube | 100 | 100 | 17.0 | 20.2 | 16.9 | 15.6 | 14.8 |
| DT17 | 592339 | 120975 | Urban Background | Diffusion Tube | 92 | 91 | 13.0 | 17.9 | 15.0 | 13.9 | 13.0 |
| DT19 | 592121 | 120543 | Urban Background | Diffusion Tube | 100 | 100 | - | - | 26.7 | 23.7 | 21.1 |

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Monitoring Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | NO ₂ Annual Mean Concentration (µg/m ³) ⁽³⁾ | | | | |
|---------|-------------------------|--------------------------|-----------|-----------------|---|--|---|------|------|------|------|
| | | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| DT21 | 592011 | 120148 | Kerbside | Diffusion Tube | 100 | 100 | 34.3 | 34.6 | 34.9 | 36.8 | 29.9 |
| DT22 | 573985 | 107409 | Kerbside | Diffusion Tube | 100 | 100 | 27.4 | 37.6 | 29.0 | 28.8 | 21.5 |
| DT25 | 573871 | 108033 | Kerbside | Diffusion Tube | 92 | 91 | - | 38.0 | 29.7 | 29.8 | 22.0 |
| DT27 | 575595 | 108060 | Kerbside | Diffusion Tube | 100 | 100 | 24.5 | 26.6 | 22.3 | 20.2 | 18.8 |
| DT28 | 575595 | 108060 | Kerbside | Diffusion Tube | 75 | 82 | 23.8 | 25.6 | 20.7 | 21.0 | 17.4 |
| DT29 | 575595 | 108060 | Kerbside | Diffusion Tube | 100 | 100 | 23.2 | 26.1 | 22.2 | 21.0 | 17.0 |
| DT30 | 592248 | 120525 | Kerbside | Diffusion Tube | 92 | 91 | - | - | 24.5 | 22.6 | 19.2 |
| DT31 | 570366 | 107817 | Kerbside | Diffusion Tube | 100 | 100 | - | - | 25.4 | 24.6 | 22.2 |

☒ Diffusion tube data has been bias corrected

☐ Annualisation has been conducted where data capture is <75%

Notes:

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) Means for diffusion tubes have been corrected for bias. All means have been “annualised” as per Boxes 7.9 and 7.10 in LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.


Figure A.1– Trends in Annual Mean NO₂ Concentrations (RY2 De La Warr Road Continuous Monitoring Site)

Figure A.2 – Trends in Annual Mean NO₂ Concentrations (Diffusion Tube Sites)




Table A.4 – 1-Hour Mean NO₂ Monitoring Results

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Monitoring Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | NO ₂ 1-Hour Means > 200µg/m ³ ⁽³⁾ | | | | |
|---------|-------------------------|--------------------------|-----------|-----------------|---|--|--|------|------|------|------|
| | | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| RY2 | 575595 | 108054 | Kerbside | Automatic | 97.9 | 97.9 | 0 (100) ₍₃₎ | 0 | 0 | 0 | 0 |

Notes:

Exceedances of the NO₂ 1-hour mean objective (200µg/m³ not to be exceeded more than 18 times/year) are shown in **bold**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

Table A.5 – Annual Mean PM₁₀ Monitoring Results

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | PM ₁₀ Annual Mean Concentration (µg/m ³) ⁽³⁾ | | | | |
|---------|-------------------------|--------------------------|-----------|---|--|--|---------------------|---------------------|---------------------|---------------------------|
| | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| RY2 | 575595 | 108054 | Kerbside | 97.4 | 97.3 | 24.3 ⁽³⁾ | 18.1 ⁽³⁾ | 21.4 ⁽³⁾ | 21.4 ⁽³⁾ | 20.5⁽³⁾ |

☐ Annualisation has been conducted where data capture is <75%

Notes:

Exceedances of the PM₁₀ annual mean objective of 40µg/m³ are shown in **bold**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) All means have been “annualised” as per Boxes 7.9 and 7.10 in LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Figure A.3 – Trends in Annual Mean PM₁₀ Concentrations




Table A.6 – 24-Hour Mean PM₁₀ Monitoring Results

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | PM ₁₀ 24-Hour Means > 50µg/m ³ ⁽³⁾ | | | | |
|---------|-------------------------|--------------------------|-----------|---|--|---|---------------|------|------|------|
| | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| RY2 | 575595 | 108054 | Kerbside | 97.4 | 97.3 | 2 (33) (3) | 0 (27) (3) | 4 | 6 | 7 |

Notes:

Exceedances of the PM₁₀ 24-hour mean objective (50µg/m³ not to be exceeded more than 35 times/year) are shown in **bold**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) If the period of valid data is less than 85%, the 90.4th percentile of 24-hour means is provided in brackets.

Table A.7 – PM_{2.5} Monitoring Results

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | PM _{2.5} Annual Mean Concentration (µg/m ³) ⁽³⁾ | | | | |
|---------|-------------------------|--------------------------|-----------|---|--|---|------|------|------|------|
| | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| RY2 | 575595 | 108054 | Kerbside | 97.4 | 97.3 | 17.0 | 12.7 | 15.0 | 15.0 | 14.4 |

☐ Annualisation has been conducted where data capture is <75%

Notes:

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) All means have been “annualised” as per Boxes 7.9 and 7.10 in LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Figure A.4 – Trends in Annual Mean PM_{2.5} Concentrations




Table A.8 – Annual Mean O₃ Monitoring Results

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | O ₃ Annual Mean Concentration (µg/m ³) ⁽³⁾ | | | | |
|---------|-------------------------|--------------------------|-----------|---|--|--|-------------------|------|------|------|
| | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| RY1 | 594440 | 119150 | Rural | 95.6 | 95.6 | - | 55 ⁽³⁾ | 54 | 57 | 55 |

Notes: (1) data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) All means have been “annualised” as per Technical Guidance LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Table A.9 – Running 8-Hour Mean O₃ Monitoring Results

| Site ID | X OS Grid Ref (Easting) | Y OS Grid Ref (Northing) | Site Type | Valid Data Capture for Monitoring Period (%) ⁽¹⁾ | Valid Data Capture 2019 (%) ⁽²⁾ | Days With O ₃ Running 8-Hour Means > 100 µg/m ³ | | | | |
|---------|-------------------------|--------------------------|-----------|---|--|---|------|------|-----------|-----------|
| | | | | | | 2015 | 2016 | 2017 | 2018 | 2019 |
| RY1 | 594440 | 119150 | Rural | 93.8 | 93.9 | - | 17 | 24 | 27 | 28 |

Notes: Exceedances of the O₃ running 8-hour mean objective (100 µg/m³ not to be exceeded more than 10 days/year) are shown in **bold**.

(1) data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Appendix B: Full Monthly Diffusion Tube Results for 2019

Table B.1 – NO₂ Monthly Diffusion Tube Results - 2019

| Site ID | NO ₂ Mean Concentrations (µg/m ³) | | | | | | | | | | | | | | |
|---------|--|------|---------|---------|---------|------|------|------|---------|---------|---------|---------|-------------|--|---|
| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Annual Mean | | |
| | | | | | | | | | | | | | Raw Data | Bias Adjusted (0.93) and Annualised ⁽¹⁾ | Distance Corrected to Nearest Exposure ⁽²⁾ |
| DT2 | 25.0 | 25.7 | 24.9 | 21.0 | 19.4 | 18.5 | 16.1 | 16.0 | 16.8 | 17.8 | 22.1 | 20.3 | 20.2 | 18.8 | - |
| DT3 | 28.8 | 24.2 | 22.0 | 24.3 | 0.0 | 18.2 | 17.0 | 16.6 | 17.7 | 18.4 | 22.9 | 20.7 | 18.7 | 17.4 | - |
| DT4 | 27.9 | 24.5 | 21.4 | 23.7 | 0.0 | 18.5 | 16.3 | 16.1 | 15.6 | 18.0 | 23.8 | 20.0 | 18.3 | 17.0 | - |
| DT5 | 36.2 | 35.7 | 30.9 | 36.0 | 27.9 | 28.5 | 22.6 | 25.7 | missing | missing | missing | 29.5 | 23.1 | 21.5 | - |
| DT7 | 29.6 | 25.0 | missing | 25.8 | 27.3 | 18.5 | 16.6 | 17.0 | 17.6 | 18.6 | 22.6 | 21.9 | 20.2 | 18.8 | - |
| DT8 | 34.3 | 36.2 | 35.1 | 30.2 | missing | 26.5 | 24.0 | 30.8 | 20.6 | 26.0 | 32.2 | missing | 23.6 | 22.0 | - |
| DT9 | 27.0 | 28.8 | 23.9 | 25.0 | 21.7 | 23.3 | 19.1 | 19.3 | 27.0 | 17.6 | 27.4 | 28.8 | 23.9 | 22.2 | - |
| DT10 | 19.0 | 18.0 | 13.0 | 12.3 | 18.0 | 11.3 | 10.7 | 10.5 | 10.4 | 10.0 | 14.7 | 13.2 | 13.5 | 12.5 | - |
| DT12 | 24.7 | 28.8 | 20.5 | 17.1 | 16.0 | 18.3 | 19.8 | 18.3 | 16.5 | 17.2 | 20.6 | 17.1 | 19.5 | 18.1 | - |
| DT13 | 18.9 | 20.5 | 13.1 | 11.6 | 10.1 | 8.9 | 9.2 | 6.0 | 9.0 | 11.3 | 14.9 | 13.9 | 12.2 | 11.3 | - |
| DT14 | 22.1 | 22.4 | 16.6 | 13.2 | 14.7 | 12.3 | 13.8 | 14.1 | 12.6 | 14.8 | 15.8 | 18.8 | 16.0 | 14.8 | - |
| DT16 | 37.8 | 35.8 | 30.5 | 26.8 | 29.7 | 25.2 | 28.7 | 27.9 | 28.3 | 22.0 | 30.5 | 30.6 | 29.5 | 27.4 | - |
| DT17 | 31.7 | 29.2 | 27.9 | missing | 34.6 | 35.1 | 30.7 | 29.7 | 28.5 | 27.2 | 31.6 | 21.2 | 27.5 | 25.6 | - |
| DT19 | 42.1 | 42.8 | 39.8 | 43.7 | 42.7 | 36.4 | 29.2 | 33.5 | 31.5 | 32.5 | 38.0 | 28.5 | 36.5 | 34.0 | - |
| DT21 | 25.0 | 21.1 | 21.8 | 18.9 | 15.9 | 14.0 | 14.6 | 15.2 | 15.4 | 16.0 | 12.4 | 16.5 | 17.1 | 15.9 | - |

| Site ID | NO ₂ Mean Concentrations (µg/m ³) | | | | | | | | | | | | Annual Mean | | |
|---------|--|------|------|---------|---------|------|------|---------|---------|------|---------|------|-------------|--|---|
| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Raw Data | Bias Adjusted (0.93) and Annualised ⁽¹⁾ | Distance Corrected to Nearest Exposure ⁽²⁾ |
| | | | | | | | | | | | | | | | |
| DT22 | 20.2 | 18.1 | 14.4 | 15.7 | 11.7 | 11.1 | 12.1 | 11.4 | 9.6 | 11.7 | 15.8 | 16.1 | 13.9 | 13.0 | - |
| DT25 | 38.9 | 40.3 | 36.7 | 44.8 | missing | 33.8 | 35.8 | 32.3 | 33.6 | 31.4 | 40.9 | 29.0 | 32.2 | 29.9 | - |
| DT27 | 28.9 | 30.5 | 24.9 | 24.0 | 20.9 | 19.3 | 21.0 | 16.1 | 19.6 | 22.7 | 23.2 | 22.6 | 22.7 | 21.1 | - |
| DT28 | 29.4 | 35.6 | 27.8 | 28.8 | 22.6 | 25.5 | 22.8 | missing | missing | 26.7 | missing | 25.1 | 20.5 | 19.1 | - |
| DT29 | 24.2 | 23.8 | 16.0 | 25.1 | 20.6 | 18.7 | 18.8 | 17.7 | 16.6 | 22.6 | 22.4 | 17.3 | 20.3 | 18.8 | - |
| DT30 | 29.8 | 29.1 | 25.0 | missing | 18.5 | 18.2 | 16.6 | 20.3 | 19.5 | 20.0 | 24.7 | 25.5 | 20.7 | 19.2 | - |
| DT31 | 41.7 | 45.5 | 41.8 | 33.2 | 34.1 | 36.0 | 38.7 | 13.4 | 12.1 | 36.2 | 39.1 | 40.0 | 34.4 | 32.0 | - |

☐ Local bias adjustment factor used

☒ National bias adjustment factor used

☒ Annualisation has been conducted where data capture is <75%

☐ Where applicable, data has been distance corrected for relevant exposure

Notes:

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

(1) See Appendix C for details on bias adjustment and annualisation.

(2) Distance corrected to nearest relevant public exposure.


Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

Diffusion Tube Bias Adjustment Factors

Bias adjustment is effectively a calculated factor which shows whether diffusion tubes are over or under-reading ambient concentrations, thereby allowing a correction to be made.

Rother District Council has a co-location of triplicate diffusion tubes alongside the automatic continuous analyser at De La Warr Road, Bexhill. In 2019, data capture at the continuous monitoring site was almost 100% and therefore sufficient to allow a valid local bias adjustment factor¹⁰ to be derived. The local bias adjustment factor was calculated to be 0.51. Figure C 1 shows the calculation for the local bias adjustment factor.

Figure C 1 - Local Diffusion Tube Bias Adjustment Factor for Rother District Council in 2019



¹⁰ Defra (2018), Local bias adjustment calculator, available at: <https://laqm.defra.gov.uk/bias-adjustment-factors/local-bias.html>

A national bias adjustment factor was also considered for use, obtained from the national database of bias adjustment factors (version 04/20)¹¹. Figure C 2 shows the national bias adjustment factor for the same laboratory (Gradko) and tube preparation method (20% TEA in water) used by Rother District Council. The national bias adjustment factor is 0.93.

Figure C 2 - National Diffusion Tube Bias Adjustment Factor for Rother District Council in 2019

| National Diffusion Tube Bias Adjustment Factor Spreadsheet | | | | | Spreadsheet Version Number: 03/20 | | | | | |
|--|--|---|--|---|---|---|--|--|-----------------------------|------------------------------------|
| Follow the steps below in the correct order to show the results of relevant co-location studies | | | | | | | | | | |
| Data only apply to tubes exposed monthly and are not suitable for correcting individual short-term monitoring periods | | | | | | | | This spreadsheet will be updated at the end of June 2020 | | |
| Whenever presenting adjusted data, you should state the adjustment factor used and the version of the spreadsheet | | | | | | | | LAQM Helpdesk Website | | |
| This spreadsheet will be updated every few months: the factors may therefore be subject to change. This should not discourage their immediate use. | | | | | | | | | | |
| The LAQM Helpdesk is operated on behalf of Defra and the Devolved Administrations by Bureau Veritas, in conjunction with contract partners AECOM and the National Physical Laboratory. | | | | | Spreadsheet maintained by the National Physical Laboratory. Original compiled by Air Quality Consultants Ltd. | | | | | |
| Step 1: | | Step 2: | Step 3: | Step 4: | | | | | | |
| Select the Laboratory that Analyses Your Tubes from the Drop-Down List | | Select a Preparation Method from the Drop-Down List | Select a Year from the Drop-Down List | Where there is only one study for a chosen combination, you should use the adjustment factor shown with caution. Where there is more than one study, use the overall factor ¹ shown in blue at the foot of the final column. | | | | | | |
| If a laboratory is not shown, we have no data for this laboratory. | | If a preparation method is not shown, we have no data for this method at this laboratory. | If a year is not shown, we have no data ² | If you have your own co-location study then see footnote ¹ . If uncertain what to do then contact the Local Air Quality Management Helpdesk at LAQMHelpdesk@uk.bureauveritas.com or 0800 0327953 | | | | | | |
| Analysed By ¹ | Method ² To undo your selection, choose (All) from the pop-up list | Year ² To undo your selection, choose (All) | Site Type | Local Authority | Length of Study (months) | Diffusion Tube Mean Conc. (Dm) (µg/m ³) | Automatic Monitor Mean Conc. (Cm) (µg/m ³) | Bias (B) | Tube Precision ¹ | Bias Adjustment Factor (A) (Cm/Dm) |
| Gradko | 20% TEA in water | 2019 | R | Dudley MBC | 12 | 33 | 32 | 4.5% | G | 0.96 |
| Gradko | 20% TEA in water | 2019 | R | Dudley MBC | 12 | 44 | 42 | 3.9% | G | 0.96 |
| Gradko | 20% TEA in water | 2019 | UB | Dudley MBC | 12 | 23 | 19 | 19.8% | G | 0.83 |
| Gradko | 20% TEA in water | 2019 | UB | Eastleigh Borough Council | 12 | 24 | 26 | -7.1% | G | 1.08 |
| Gradko | 20% TEA in water | 2019 | R | Gateshead Council | 12 | 34 | 27 | 23.7% | P | 0.81 |
| Gradko | 20% TEA in water | 2019 | R | Gateshead Council | 11 | 40 | 44 | -10.5% | G | 1.12 |
| Gradko | 20% TEA in water | 2019 | R | Gateshead Council | 10 | 32 | 34 | -7.2% | G | 1.08 |
| Gradko | 20% TEA in water | 2019 | R | Gateshead Council | 12 | 30 | 25 | 18.1% | G | 0.85 |
| Gradko | 50% TEA in acetone | 2019 | R | London Borough of Richmond upon Thames | 12 | 46 | 35 | 30.4% | G | 0.77 |
| Gradko | 50% TEA in acetone | 2019 | R | London Borough of Richmond upon Thames | 12 | 29 | 27 | 7.1% | G | 0.93 |
| Gradko | 50% TEA in acetone | 2019 | B | London Borough of Richmond upon Thames | 11 | 21 | 21 | 1.0% | G | 0.99 |
| Gradko | 20% TEA in water | 2019 | R | Thurrock Borough Council | 12 | 29 | 24 | 21.6% | G | 0.82 |
| Gradko | 20% TEA in water | 2019 | R | Brighton & Hove City Council | 11 | 45 | 50 | -9.3% | G | 1.10 |
| Gradko | 50% TEA in acetone | 2019 | UB | Falkirk Council | 9 | 18 | 15 | 18.1% | G | 0.85 |
| Gradko | 50% TEA in acetone | 2019 | R | LB Newham | 12 | 35 | 30 | 16.2% | G | 0.86 |
| Gradko | 20% TEA in water | 2019 | Overall Factor ¹ (27 studies) | | | | | | Use | 0.93 |
| Gradko | 50% TEA in acetone | 2019 | Overall Factor ¹ (8 studies) | | | | | | Use | 0.87 |

Discussion of Choice of Factor to Use

In 2019, it was possible to derive a local bias adjustment factor as well as the national bias adjustment factor obtained from the national database. However, as the locally-derived was less than the national bias adjustment factors in 2019, the higher factor of 0.93 was used to adjust the raw diffusion tube concentrations as this provides a worst-case situation and is likely to be more appropriate for the entire network of monitoring sites.

¹¹ Defra (2018), National bias adjustment factor database, available at: <https://laqm.defra.gov.uk/bias-adjustment-factors/national-bias.html>

PM₁₀ Monitoring Adjustment

The PM₁₀ data from the TEOM continuous analyser at De La Warr Road (RY2) has been corrected using the volatile correction model¹² (VCM) to ensure gravimetric equivalence.

Short-term to Long-term Data Adjustment

Data capture for all diffusion tubes and automatic monitoring was equal or greater to 75% in 2019, therefore no annualisation was necessary.

QA/QC of Automatic Monitoring

As previously described in Section 2.1, monitoring stations within East Sussex are part of the SAQMN and, therefore, measurements made at these sites are traceable to national standards and operational procedures defined for the regional network. For De La Warr Rd NO₂/TEOM monitor, Envirotechnology Services (Kingfisher Business Park, London Rd, Stroud, Glos GL5 2BY) undertakes the equipment's maintenance and calibration.

QA/QC of Diffusion Tube Monitoring

AIR is an independent analytical proficiency-testing (PT) scheme, operated by LGC Standards and supported by the Health and Safety Laboratory (HSL). AIR PT is a new scheme, started in April 2014, which combines two long running PT schemes: LGC Standards STACKS PT scheme and HSL Workplace Analysis Scheme for Proficiency (WASP) PT scheme.

Defra and the Devolved Administrations advise that diffusion tubes used for Local Air Quality Management should be obtained from laboratories that have demonstrated satisfactory performance in the AIR PT scheme.

Rother District Council used Gradko International for the supply and analysis of diffusion tubes, with a 20% triethanolamine (TEA) in water preparation. In 7 out of the 8 of last year's AIR PT testing rounds running from April 2017 until February

¹² King's College London Volatile Correction Model. Information available at: <http://www.volatile-correction-model.info/>

2019, Gradko achieved 100% satisfactory results (the most recent round returned 75% satisfactory results), so there is high confidence in the accuracy of the diffusion tube results.

Distance Correction Using the NO₂ Fall-off with Distance Calculator

Annual average NO₂ data from non-automatic monitoring sites DT2 – DT31 in 2019 have not given in Table B.1 as per the comments from Defra, distance correction should only be completed at monitoring sites that have an annual mean NO₂ concentration greater than 36ug/m³ and the relevant exposure is within 20m of the monitoring location. However for completeness, the detailed distance correction calculations are included in Table C.1 using the NO₂ Fall-Off with Distance Calculator (Version 4.2).

Table C.1 – Distance Correction Calculations - 2019

| Site Name/ID | Distance (m) | | NO ₂ Annual Mean Concentration (µg/m ³) | | | Comment |
|-------------------------------|-------------------------|------------------|--|-------------------|-----------------------|--|
| | Monitoring Site to Kerb | Receptor to Kerb | Background | Monitored at Site | Predicted at Receptor | |
| Bexhill Triplicate 1 | 1.0 | 15.0 | 10.8 | 18.8 | 14.4 | |
| Bexhill Triplicate 2 | 1.0 | 15.0 | 10.8 | 17.4 | 13.8 | |
| Bexhill Triplicate 3 | 1.0 | 15.0 | 10.8 | 17.0 | 13.6 | |
| Bexhill-on-Sea Sackville Road | 1.0 | 2.0 | 10.0 | 21.5 | 19.9 | |
| A259 Bexhill-on-Sea | 1.0 | 20.0 | 10.2 | 22.0 | 14.9 | |
| Holliers Hill, Bexhill | 1.0 | 10.0 | 11.0 | 18.8 | 15.2 | |
| Catsfield Church | 1.0 | 15.0 | 7.6 | 12.5 | 9.8 | |
| A269 Battle Hospital | 1.0 | 40.0 | 7.3 | 18.1 | 10.1 | Warning: your receptor is more than 20m further from the kerb than your monitor - treat result with caution. |
| Battle Wellington Gardens | 1.0 | 30.0 | 8.2 | 11.3 | 9.2 | Warning: your receptor is more than 20m further from the kerb than your monitor - treat result with caution. |

| | | | | | | |
|----------------------------|-----|------|-----|------|------|--|
| Battle High Street | 1.0 | 0.1 | 7.6 | 14.8 | 18.1 | |
| Battle A2100 | 1.0 | 10.0 | 8.2 | 27.4 | 18.5 | |
| A21 Robertsbridge | 1.0 | 40.0 | 7.4 | 25.6 | 12.1 | Warning: your receptor is more than 20m further from the kerb than your monitor - treat result with caution. |
| High St Flimwell | 1.0 | 5.0 | 8.6 | 34.0 | 25.8 | |
| North of Northam | 1.0 | 10.0 | 7.4 | 15.9 | 12.0 | |
| Rye North Salts | 1.0 | 15.0 | 9.1 | 13.0 | 10.9 | |
| A259 Bowling Green, Rye | 1.0 | 0.1 | 9.1 | 19.2 | 23.9 | |
| B2089 West of Rye | 1.0 | 50.0 | 7.3 | 19.1 | 9.8 | Warning: your receptor is more than 20m further from the kerb than your monitor - treat result with caution. |
| A259 New Winchelsea Rd Rye | 1.0 | 10.0 | 9.1 | 18.8 | 14.3 | |
| A2100 Beauport Park | 1.0 | 50.0 | 7.7 | 32.0 | 12.8 | Warning: your receptor is more than 20m further from the kerb than your monitor - treat result with caution. |
| 128 Barnhorn Road, Bexhill | 1.0 | 10.0 | 7.6 | 22.2 | 15.4 | |
| Rye South Undercliff | 1.0 | 2.0 | 8.6 | 29.9 | 26.9 | |
| Rye Cinque Ports Street | 1.0 | 8.0 | 9.1 | 21.1 | 16.1 | |

Appendix D: Map(s) of Monitoring Locations and AQMAs

Figure D.1 – Monitoring Locations in Rother District – Overview




AECOM Sunley House, 4 Bedford Park, Croydon, CR0 2AP
Tel: +44 (0)20 8639 3500, Fax: +44 (0)20 8663 6723
www.aecom.com

2019 Rother Monitoring Locations

Legend

- ★ 2019 Rother Continuous Monitor
- 2019 Rother Diffusion Tubes

Figure D.2 – Monitoring Locations in Rother District – Rye



Contains Ordnance Survey data © Crown copyright and database right 2018

AECOM Sunley House, 4 Bedford Park, Croydon, CR0 2AP
Tel: +44 (0)20 8639 3500, Fax: +44 (0)20 8663 6723
www.aecom.com

2019 Rother Monitoring Locations

Legend

- ★ 2019 Rother Continuous Monitor
- 2019 Rother Diffusion Tubes

LAQM Annual Status Report 2020



Appendix E: Summary of Air Quality Objectives in England

Table E.1 – Air Quality Objectives in England

| Pollutant | Air Quality Objective ¹³ | |
|--|--|----------------|
| | Concentration | Measured as |
| Nitrogen Dioxide (NO ₂) | 200 µg/m ³ not to be exceeded more than 18 times a year | 1-hour mean |
| | 40 µg/m ³ | Annual mean |
| Particulate Matter (PM ₁₀) | 50 µg/m ³ , not to be exceeded more than 35 times a year | 24-hour mean |
| | 40 µg/m ³ | Annual mean |
| Sulphur Dioxide (SO ₂) | 350 µg/m ³ , not to be exceeded more than 24 times a year | 1-hour mean |
| | 125 µg/m ³ , not to be exceeded more than 3 times a year | 24-hour mean |
| | 266 µg/m ³ , not to be exceeded more than 35 times a year | 15-minute mean |

¹³ The units are in microgrammes of pollutant per cubic metre of air (µg/m³).

Glossary of Terms

| Abbreviation | Description |
|-------------------|---|
| AQAP | Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values' |
| AQMA | Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives |
| ASR | Air quality Annual Status Report |
| Defra | Department for Environment, Food and Rural Affairs |
| DMRB | Design Manual for Roads and Bridges – Air quality screening tool produced by Highways England |
| CIL | Community Infrastructure Levy |
| EU | European Union |
| FDMS | Filter Dynamics Measurement System |
| LAQM | Local Air Quality Management |
| NO ₂ | Nitrogen Dioxide |
| NO _x | Nitrogen Oxides |
| PM ₁₀ | Airborne particulate matter with an aerodynamic diameter of 10µm (micrometres or microns) or less |
| PM _{2.5} | Airborne particulate matter with an aerodynamic diameter of 2.5µm or less |
| QA/QC | Quality Assurance and Quality Control |
| SAQMN | Sussex Air Quality Monitoring Network |
| SO ₂ | Sulphur Dioxide |
| TEOM | Tapered Element Oscillating Microbalance |

References

1. Environmental equity, air quality, socioeconomic status and respiratory health, 2010
2. Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006
3. Defra. Abatement cost guidance for valuing changes in air quality, May 2013
4. 2018 Rother District Annual Status Report (ASR), available at:
<http://www.rother.gov.uk/article/193/Air-Quality>
5. Sussex Air Quality Partnership Air Quality Strategic Plan 2010 http://www.sussex-air.net/Reports/SAQP_Vision_Strategy_2015.pdf
6. Rother District Council, Hastings Borough Council. Wealden District Council and Eastbourne Borough Council (2009). Appropriate Assessment and Air Quality Local to the Pevensey Levels Ramsar Site. Available at:
<http://www.wealden.gov.uk/nmsruntime/saveasdialog.aspx?IID=14305&slD=5509>
7. EC Habitats Directive 1992, interpreted into British law by the Conservation (Natural Habitats &c) Regulations 1994 (as amended in 2007).
8. Rother District Council (2014). Local Plan – Core Strategy. Adopted 29th September 2014.
9. Defra (2018), Local bias adjustment calculator, available at:
<https://laqm.defra.gov.uk/bias-adjustment-factors/local-bias.html>
10. Defra (2018), National bias adjustment factor database, available at:
<https://laqm.defra.gov.uk/bias-adjustment-factors/national-bias.html>
11. King's College London Volatile Correction Model. Information available at:
<http://www.volatile-correction-model.info/>