



Legend

- SFRA Study Area
- Defence standard of protection**
- | | |
|-------|---------|
| 0.25% | 6.66% |
| 0.5% | 16.66% |
| 1% | 20% |
| 2% | 50% |
| 3.33% | Unknown |
| 4% | |

Notes

Flood defences and defences derived from the River Brede Model are shown with a standard of protection which is against a 50% AEP event or more. Man-made and natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement have been considered. Flood defences are designed to give a specific standard of protection, reducing the risk of flooding to people and property in flood prone areas. For example, a flood defence with a 1% AEP standard of protection means that the flood risk in the defended area is reduced to a 1% chance of flooding in any given year. Although flood defences are designed to a standard of protection it should be noted the actual standard of protection provided by the defence may decrease over time, for example due to deterioration in condition or increases in flood risk due to climate change. Flood defences that show no standard of protection may also refer to those that are currently under construction or are undergoing improvement works.

0 1.25 2.5 5
Kilometres

Contains Ordnance Survey data © Crown copyright and database right 2020.
Contains public sector information licensed under the Open Government Licence v3.0.

Rother District Council
SFRA: APPENDIX J.3
FLOOD DEFENCE STANDARD OF
PROTECTION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

