


# ROTHER DISTRICT COUNCIL LEVEL 1 STRATEGIC FLOOD RISK ASSESSMENT



## Legend

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.


0 1 2 km

Contains Ordnance Survey data © Crown copyright and database right 2024.  
Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.


Rother District Council

SFRA: APPENDIX H  
JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.




# ROTHER DISTRICT COUNCIL LEVEL 1 STRATEGIC FLOOD RISK ASSESSMENT



## Legend

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.





Contains Ordnance Survey data © Crown copyright and database right 2024.  
 Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.

Rother District Council


SFRA: APPENDIX H  
 JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.






**ROTHER DISTRICT COUNCIL LEVEL 1 STRATEGIC FLOOD RISK ASSESSMENT**



**Legend**

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.



Contains Ordnance Survey data © Crown copyright and database right 2024.  
 Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.


Rother District Council

SFRA: APPENDIX H  
 JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



# ROTHER DISTRICT COUNCIL LEVEL 1 STRATEGIC FLOOD RISK ASSESSMENT



## Legend

SFRA study area

### 1% AEP Groundwater Flood Map

Low risk.

Groundwater levels are at least 5m below the ground surface.

Groundwater levels are between 0.5m and 5m below the ground surface.

Groundwater levels are between 0.025m and 0.5m below the ground surface.

Groundwater levels are either at or very near (within 0.025m of) the ground surface.




Contains Ordnance Survey data © Crown copyright and database right 2024.  
Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.



Rother District Council

SFRA: APPENDIX H  
JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It should not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.




**ROTHER DISTRICT COUNCIL LEVEL 1 STRATEGIC FLOOD RISK ASSESSMENT**



**Legend**

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.





Contains Ordnance Survey data © Crown copyright and database right 2024.  
 Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.

Rother District Council  
 SFRA: APPENDIX H  
 JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.




# ROTHER DISTRICT COUNCIL LEVEL 1 STRATEGIC FLOOD RISK ASSESSMENT



## Legend

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m) of the ground surface.




Contains Ordnance Survey data © Crown copyright and database right 2024.  
 Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.

Rother District Council


SFRA: APPENDIX H  
 JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.






**ROTHER DISTRICT COUNCIL LEVEL 1  
STRATEGIC FLOOD RISK ASSESSMENT**



**Legend**

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.





Contains Ordnance Survey data © Crown copyright and database right 2024.  
Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.

Rother District Council  
**SFRA: APPENDIX H  
JBA GROUNDWATER MAP**

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.




**ROTHER DISTRICT COUNCIL LEVEL 1  
STRATEGIC FLOOD RISK ASSESSMENT**



**Legend**

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.



Contains Ordnance Survey data © Crown copyright and database right 2024.  
Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.



Rother District Council

SFRA: APPENDIX H  
JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It should not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



**ROTHER DISTRICT COUNCIL LEVEL 1  
STRATEGIC FLOOD RISK ASSESSMENT**



**Legend**

SFRA study area

**1% AEP Groundwater Flood Map**

Low risk.

Groundwater levels are at least 5m below the ground surface.

Groundwater levels are between 0.5m and 5m below the ground surface.

Groundwater levels are between 0.025m and 0.5m below the ground surface.

Groundwater levels are either at or very near (within 0.025m of) the ground surface.

0 1 2 km



Contains Ordnance Survey data © Crown copyright and database right 2024.  
Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.

Rother District Council


SFRA: APPENDIX H  
JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.






**ROTHER DISTRICT COUNCIL LEVEL 1  
STRATEGIC FLOOD RISK ASSESSMENT**



**Legend**

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.



Contains Ordnance Survey data © Crown copyright and database right 2024.  
Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.



Rother District Council

**SFRA: APPENDIX H  
JBA GROUNDWATER MAP**

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.




**ROTHER DISTRICT COUNCIL LEVEL 1  
STRATEGIC FLOOD RISK ASSESSMENT**



**Legend**

-  SFRA study area
- 1% AEP Groundwater Flood Map**
-  Low risk.
-  Groundwater levels are at least 5m below the ground surface.
-  Groundwater levels are between 0.5m and 5m below the ground surface.
-  Groundwater levels are between 0.025m and 0.5m below the ground surface.
-  Groundwater levels are either at or very near (within 0.025m of) the ground surface.



Contains Ordnance Survey data © Crown copyright and database right 2024.  
Contains Environment Agency Information © Environment Agency and database right 2024. All rights reserved.

Rother District Council

SFRA: APPENDIX H  
JBA GROUNDWATER MAP

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

